

## **Beef and Dairy Beef Breeds**



Brahman



Hereford



Santa Gertrudis



Angus



Limousin



Texas Longhorn



Charolais



Gelbvieh



Chianina



Polled Hereford



Simmental



Shorthorn

# **Beef and Dairy Beef Breed Labels**

Angus

Brahman

Charolais

Chianina

Gelbvieh

Hereford

Limousin

Polled Hereford

Santa Gertrudis

Shorthorn

Simmental


Texas Longhorn

## Beef and Dairy Beef Breeds





# Parts of a Beef Animal



## **Parts of a Beef Cow Labels**

Back

Muzzle

Belly

Neck

Brisket

Pastern

Cannon Bone

Pin

Crest

Point of Shoulder

Dew Claw

Poll

Dewlap

Quarter

Ear

Rearflank

Face

Rib

Forearm

Rump

Heart Girth

Sheath or Navel

Hock

Stifle Joint

Hoof

Switch

Hook


Tail Head

Knee

Throat

Loin

# Parts of a Beef Animal



# Medication Label

Name of Drug

**OMNIBIOTIC**

Active Ingredients

(hydrocillin)

**Directions for use: See package insert**

Cautions  
and Warnings

**Warning:** The use of this drug must be discontinued for 30 days before treated animals are slaughtered for food. Exceeding the highest recommended dosage level may result in antibiotic residues in meat or milk beyond the withdrawal time.

Withholding  
Times

**Store between 2° and 8° C (36° and 46° F)**

Storage

**Keep dry and keep away from light**

Quantity  
of Contents

Net Contents: 100 ml



Distributed by

**USA Animal Health, Inc.**

Name of Distributor



Quality Assurance and Animal Care: Youth Education Program  
This material is based upon work supported by Extension Service,  
United States Department of Agriculture, under special project number 93-EFSQ-4096.

Product distributed through the Ohio Agricultural Education Curriculum Materials Service

Use this poster in conjunction with Quality Assurance Medication Label - Read and match the Parts situation/task statement and the Medication Label Parts identification tags.

# **Medication Label Labels**

Active Ingredients

Cautions and Warnings

Name of Distributor

Name of Drug

Quantity of Contents

Storage

Withholding Times



# Medication Label

**OMNIBIOTIC**

(hydrocillin)

**Directions for use: See package insert**

**Warning:** The use of this drug must be discontinued for 30 days before treated animals are slaughtered for food. Exceeding the highest recommended dosage level may result in antibiotic residues in meat or milk beyond the withdrawal time.

**Store between 2° and 8° C (36° and 46° F)**

**Keep dry and keep away from light**

**Net Contents: 100 ml**

**Distributed by**

**USA Animal Health, Inc.**



**Quality Assurance and Animal Care: Youth Education Program**

This material is based upon work supported by Extension Service,

United States Department of Agriculture, under special project number 93-EFSQ-4096.

Product distributed through the Ohio Agricultural Education Curriculum Materials Service

Use this poster in conjunction with Quality Assurance Medication Label - Read and match the Parts situation/task statement and the Medication Label Parts identification tags.

Quality Assurance

14

# **Types of Beef Questions for Skillathon**

## **Beginner**

1. Breeds
2. Selection
3. Parasites
4. Housing
5. Feed
6. General Health
7. Cost
8. Preparation for Fair
9. Weaning
10. Knot Tying

## **Intermediate**

1. Breeding
2. Vaccinations
3. Frame Scores
4. Feed
5. Parasites
6. Carcass Questions
7. Diseases
8. Selection
9. Weaning
10. Knot Tying
11. Preparation for Fair

## **Advanced**

1. Performance Records
2. Marketing
3. Diseases and Infections
4. Disease Prevention
5. Safety
6. Selection
7. Careers
8. Feeds/Minerals
9. Knot Tying
10. Genetics
11. Livestock Waste and Byproducts