

# Horse Breeds



Appaloosa



Percheron



Donkey



Clydesdale



Morgan



Tennessee Walking



Welsh Pony



Palomino



American Paint



# Horse Breeds



Belgian



Mule



Quarter



Pony of the Americas



Standardbred



Suffolk



Peruvian Paso



Arabian



Thoroughbred



# Horse Breeds



American Saddlebred



Shetland Pony



Miniature



Shire

# **Horse Breed Labels**

American Paint

Pony of the Americas

American Saddlebred

Quarter

Appaloosa

Shetland Pony

Arabian

Shire

Belgian

Standardbred

Clydesdale

Suffolk

Donkey

Tennessee Walking

Miniature

Thoroughbred

Morgan

Welsh Pony

Mule

Palomino

Percheron

Peruvian Paso

# Horse Breeds





# Horse Breeds




## Horse Breeds





# Parts of a Horse






# **Parts of a Horse Labels**

Abdomen	Girth
Ankle	Hock
Arm	Hoof
Back	Knee
Barrel Area	Loin
Bridge of Nose	Lower Lip
Buttock	Muzzle
Cannon	Neck
Chest	Nostril
Chestnut	Pastern
Coronet	Point of Hip
Crest	Point of Shoulder
Croup	Poll
Elbow	Shoulder
Ergot	Stifle
Face	Thigh Area
Fetlock Joint	Throat Latch
Flank	Under Lip
Forearm	Upper Lip
Forehead	Withers
Gaskin	

## Parts of a Horse





# Medication Label

*Name of Drug* \_\_\_\_\_

**Equibiotic**

(hydrocillin) \_\_\_\_\_

*Active  
Ingredients*

**Directions for use: See package insert**

*Cautions  
and Warnings* \_\_\_\_\_



**Warning:** The use of this drug must be discontinued for 30 days before treated animals are slaughtered for food. Exceeding the highest recommended dosage level may result in antibiotic residues in meat or milk beyond the withdrawal time.

*Withholding  
Times* \_\_\_\_\_

**Store between 2° and 8° C (36° and 46° F)**  
**Keep dry and keep away from light**

*Storage* \_\_\_\_\_

*Quantity  
of Contents* \_\_\_\_\_

TAKE TIME



OBSERVE LABEL DIRECTIONS

Net contents: 100 ml

Distributed by

**USA Animal Health, Inc.** \_\_\_\_\_

*Name of  
Distributor*

# **Medication Label Labels**

Active Ingredients

Cautions and Warnings

Name of Distributor

Name of Drug

Quantity of Contents

Storage

Withholding Times



# Medication Label

\_\_\_\_\_ **Equibiotic**

(hydrocillin) \_\_\_\_\_

**Directions for use: See package insert**

\_\_\_\_\_ { **Warning:** The use of this drug must be discontinued for 30 days before treated animals are slaughtered for food. Exceeding the highest recommended dosage level may result in antibiotic residues in meat or milk beyond the withdrawal time.

**Store between 2° and 8° C (36° and 46° F)** \_\_\_\_\_

**Keep dry and keep away from light**

TAKE TIME



OBSERVE LABEL DIRECTIONS

\_\_\_\_\_ Net contents: 100 ml

Distributed by

**USA Animal Health, Inc.** \_\_\_\_\_

# **Types of Equine Questions for Skillathon**

1. Gait Types
2. Care
3. Health
4. Equipment
5. Showing Your Horse