

Index

- accounting
 - disclosure quality, 129
 - information, 123
 - recognition, 17
 - regulation, 12, 16
 - reserves, 11
- accounting & other information sources, 45–48
 - ANOVA, 46, 48
 - complementarity, 45
 - DGP, 47, 48
 - information content, 45
 - misspecification, 46, 48
 - proxy variable, 45
 - restricted recognition, 45
 - saturated design, 46, 48
 - valuation, 45
- accounting choice
 - information system design, 9
- additive separability, 173
- aggregation, 4, 6
- Aitken estimator, 22
- all or nothing loss, 59, 61
- analyst, 2, 123
- ANOVA theorem, 56
- artificial regression, 62, 64, 89
 - specification test, 88
- asset revaluation regulation, 12–14, 175–202
 - average treatment effect (ATE), 178
 - average treatment effect on treated (ATT), 178
 - average treatment effect on untreated (ATUT), 178
 - average treatment effect sample statistics, 179
 - certification cost, 175
 - certification cost type, 179
 - equilibrium, 175
 - full certification, 177
 - fuzzy regression discontinuity design, 198
 - 2SLS-IV identification, 198, 200
 - binary instrument, 199
 - DGP, 198
 - missing "factual" data, 200

- propensity score, 198
- homogeneity, 183
- identification, 179
- OLS estimates, 178, 180
- outcome, 177–180, 202
- propensity score matching treatment effect, 182
- propensity score treatment effect, 181, 189
- regression discontinuity design, 181
- selective certification, 177–188
 - ATE, 186, 187
 - ATT, 184, 187
 - ATUT, 185, 187
 - conditional average treatment effect, 188
 - data augmentation, 193
 - DGP, 190
 - heterogeneity, 186
 - identification, 194
 - missing "factual" data, 193
 - OLS estimand, 185
 - OLS estimates, 191
 - outcome, 187, 190
 - propensity score, 191
 - propensity score matching, 190, 192
 - selection bias, 186
- sharp regression discontinuity design, 196
 - full certification, 196
 - missing "factual" data, 197
 - selective certification, 197
- treatment
 - investment, 175, 177
- treatment effect
 - common support, 201
 - uniform distribution, 201
- asymptotic results, 21
- asymptotic theory, 413–424
 - Boole's generalized inequality, 416
 - Boole's inequality, 416
 - convergence in distribution (central limit theorems), 417–421
 - asymptotic distribution, 420
 - asymptotic distribution of non-linear function, 421
 - asymptotic distribution of order statistics, 420
 - asymptotic inefficiency of median in normal sample, 420
 - asymptotic normality and efficiency, 420
 - asymptotic normality of MLE theorem, 421
 - limiting distribution, 418
 - limiting mean and variance, 418
 - limiting normal distribution of a function, 419
 - limiting normal distribution of a set of functions (multivariate), 420
 - Lindberg-Feller CLT (unequal variances), 419
 - Lindberg-Levy CLT (multivariate), 419
 - Lindberg-Levy CLT (univariate), 418
 - rules for limiting distributions, 418
- convergence in probability (laws of large numbers), 413–417
 - almost sure convergence, 414
 - Chebychev's inequality, 414
 - Chebychev's weak law of large numbers, 415
 - consistent estimator, 415
 - convergence in quadratic mean, 413
 - Kinchine's theorem (weak law of large numbers), 415
 - Kolmogorov's strong law of large numbers, 415
 - Markov's inequality, 414
 - Markov's strong law of large numbers, 414
 - rules for probability limits, 417
 - Slutsky theorem, 416
- delta method, 419

- fundamental theorem of statistics, 413
- implication rule, 416
- Jensen's inequality, 417
- Jensen's inequality and risk aversion, 417
- rates of convergence, 422–423
 - asymptotic equality, 422
 - order $1/n$ (big-O notation), 422
 - order less than $1/n$ (little-o notation), 422
 - order rules, 422
 - square-root n convergence, 423
 - stochastic order relations, 422
- asymptotic variance, 69
- auditor, 11, 12, 17
- authors
 - Aakvik, 288
 - Abadie, 234
 - Abbring, 236, 276, 291–293, 300, 301
 - Admati, 2
 - Ahn, 143
 - Albert, 94, 118, 301, 330
 - Allenby, 119
 - Amemiya, 54, 68, 76, 133, 135, 156, 204, 273
 - Andrews, 105
 - Angrist, 54, 55, 129, 130, 156, 181, 196, 198, 218, 234
 - Antle, 45
 - Arya, 17, 371, 376, 401, 407
 - Bagnoli, 131
 - Bassett, 76
 - Ben-Akiva, 81
 - Bernardo, 113
 - Berndt, 68
 - Berry, 135
 - Besag, 117
 - Best, 120
 - Bhat, 120–122
 - Bjorklund, 275
 - Blackwell, 3
 - Bock, 71
 - Boes, 420
 - Bound, 54
 - Box, 155, 387, 389
 - Bresnahan, 135, 141
 - Brown, 54
 - Cameron, 54, 122, 156
 - Campbell, 276
 - Campolieti, 144, 146
 - Carlin, 113, 120
 - Carneiro, 289
 - Casella, 122
 - Chamberlain, 129
 - Chenhall, 155
 - Chib, 94, 118, 122, 301, 330, 331
 - Christensen, 3, 9, 14, 18, 54
 - Clifford, 117
 - Cochran, 130
 - Coslett, 95
 - Cover, 401
 - Cox, 145, 146, 208, 277
 - Craven, 104
 - Davidson, 38, 54, 62, 63, 76, 86, 87, 89, 95, 108, 122, 413, 423
 - de Finetti, 107
 - Demski, 3, 9, 10, 12, 14, 18, 45, 48, 54, 123, 156, 175, 376, 382, 401
 - Dubin, 130
 - Dunson, 330
 - Dye, 10, 12, 175
 - Ebbes, 147
 - Efron, 108
 - Eicker, 22
 - Evans, 131
 - Fellingham, 17, 371, 376, 382, 401, 407
 - Ferguson, 115
 - Fisher, 76, 130, 208, 277
 - Fitts, 363, 368
 - Florens, 289
 - Francois, 81
 - Freedman, 108, 109
 - Frisch, 22
 - Galton, 56
 - Gauss, 33, 76
 - Gelfand, 118

- Gelman, 113, 120
 George, 122
 Girshick, 3
 Glover, 17, 371, 376, 401
 Godfrey, 43, 132
 Goldberger, 124
 Graybill, 54, 420
 Greene, 54, 68, 76, 78, 86, 130,
 131, 402, 423
 Griliches, 155
 Hall, 68, 423
 Hamilton, 122, 331
 Hammersley, 117
 Hansen, 289
 Hardle, 97, 99, 104, 105
 Hausman, 26, 54, 68
 Heckman, 123, 125, 133, 135, 142,
 148, 155, 156, 172, 173, 182,
 205, 208, 210, 220, 233, 236–
 238, 245, 249, 275–278, 280,
 282, 283, 286–289, 291–293,
 300, 301, 331
 Heyde, 423
 Hildreth, 31
 Hoeffding, 100
 Holmstrom, 376
 Honore, 208, 210, 277
 Horowitz, 86, 105, 122, 144, 146
 Houck, 31
 Huber, 22
 Hutton, 43
 Ichimura, 172, 173, 182, 205
 Imbens, 218
 James, 70
 Jaynes, 3, 4, 8, 33, 35, 36, 55, 330,
 333, 342, 344, 345, 355, 363,
 369–371, 387, 398, 401
 Judge, 71
 Kiefer, 54, 330, 383
 Koenker, 76
 Koop, 331
 Kreps, 122
 Krueger, 129, 130, 156
 Lalonde, 129, 130
 Lambert, 2
 Larcker, 126, 155
 Lavy, 181, 198
 Lee, 132
 Leuz, 2
 Lewbel, 156
 Li, 301, 306, 330
 Lin, 12, 175, 376, 401
 Lintner, 2
 Liu, 131
 Lochner, 293
 Lovell, 22
 Luce, 78
 Lukacs, 416
 Lunn, 120
 MacKinnon, 38, 54, 62, 63, 76, 87,
 89, 95, 107–109, 122, 413, 423
 Madansky, 156
 Marschak, 3, 78
 Marshall, 125
 Mathiowetz, 54
 McCall, 122
 McCulloch, 119
 McFadden, 79, 81, 95
 McKelvey, 135
 Meghir, 289
 Milgrom, 376
 Mitra, 76
 Mittendorf, 401
 Miyasawa, 3
 Moers, 155
 Moffitt, 275
 Mood, 420
 Mossin, 2
 Mullahy, 95
 Navarro-Lozano, 205, 286
 Newey, 101, 103, 105
 Neyman, 208, 277
 Nikolaev, 129
 Nobile, 304
 O'Brien, 330
 Pagan, 101
 Palfrey, 135
 Peters, 108
 Pischke, 54, 55, 181, 196, 198
 Poirier, 76, 95, 301, 306, 330, 331

- Powell, 100, 101, 105, 143
 Quandt, 208, 277
 R Development Core Team, 118
 Rao, 54, 76, 276, 280, 418
 Reiss, 135, 141
 Rivers, 130, 131, 133
 Robb, 210, 278, 291
 Robinson, 99, 128, 129
 Roll, 2
 Rosenbaum, 172
 Ross, 2
 Rossi, 119
 Roy, 208, 210, 277
 Rubin, 113, 120, 172, 208, 218, 277
 Rusticus, 126, 155
 Ruud, 101
 Ryan, 45
 Sappington, 12, 175
 Schafgans, 105
 Schroeder, 17, 371, 376, 401, 407
 Schwab, 131
 Sekhon, 182
 Shannon, 334
 Sharpe, 2
 Shugan, 76
 Signorino, 135
 Singer, 156
 Smith, 113, 118, 205
 Spiegelhalter, 120
 Sridar, 10
 Stanley, 276
 Stein, 70, 72
 Stern, 113, 120
 Stigler, 76
 Stock, 100, 101, 105, 143
 Stoker, 92, 100, 101, 105, 128, 143
 Strang, 17, 35, 371, 402, 406
 Sunder, 401
 Swamy, 31
 Tabor, 293
 Tamer, 141
 Tanner, 122
 Theil, 54, 68, 76
 Thomas, 120, 401
 Tiao, 387, 389
 Tobias, 301, 306, 330
 Tobin, 94
 Todd, 172, 173, 182, 205
 Train, 80, 81, 83, 95, 119, 120, 122
 Tribus, 362, 368
 Trivedi, 54, 122, 156
 Trochim, 196
 Urzua, 287, 300
 van der Klaauw, 198
 Van Lent, 129, 155
 Vella, 101
 Verrecchia, 2
 Vijverberg, 331
 Vuong, 131, 133
 Vytlacil, 123, 148, 208, 220, 233,
 236–238, 249, 275–277, 280,
 282, 283, 287–289, 300
 Wahba, 104
 Wald, 31
 Walley, 369, 400, 401
 Watts, 131
 Waugh, 22
 White, 22, 417, 423
 Wickens, 132
 Wong, 122
 Wooldridge, 54, 129, 156, 204, 212,
 216, 237, 238, 246, 269, 270,
 272, 273
 Yitzhaki, 276, 280
 Zheng, 101
- bandwidth, 93, 98, 101, 104
 Bayesian analysis, 4
 Bayesian data augmentation, 118, 146
 discrete choice model, 94
 Bayesian regression, 117
 Bayesian statistics, 17
 Bayesian treatment effect, 301–331
 binary regulated report precision,
 313–316
 McMC estimated average treat-
 ment effects, 314
 McMC estimated average treat-
 ment effects from MTE, 314
 bounds, 301, 302

- conditional posterior distribution, 303
 - augmented outcome, 303
 - latent utility, 303
 - Nobile's algorithm, 304
 - parameters, 304
 - SUR (seemingly-unrelated regression), 304
 - truncated normal distribution, 303
 - Wishart distribution, 304
- counterfactual, 302
- data augmentation, 301
- DGP, 302
- Dirichlet distribution, 331
- distribution, 301
- Gibbs sampler, 303
- identification, 301
- latent utility, 302
- Metropolis-Hastings algorithm, 331
- mixture of normals distribution, 306
 - Dirichlet distribution, 307
 - likelihood function, 306
 - multinomial distribution, 307
 - prior, 307
- MTE, 309
 - weights, 309
- outcome, 302
- predictive distribution, 305
 - Rao-Blackwellization, 306
- prior distribution
 - normal, 305
 - Wishart, 305
- probability as logic, 330
 - evidence of endogeneity, 331
 - maximum entropy principle (MEP), 330
 - maximum entropy principle (MEP) & Gaussian distribution, 330
 - maximum entropy principle (MEP) & Student t distribution, 330
- prototypical example, 307
 - average treatment effect sample statistics, 310
 - DGP, 307
 - latent utility, 307
 - McMC estimated average treatment effects, 310
 - McMC estimated marginal treatment effects, 311
 - McMC MTE-weighted average treatment effects, 311
 - outcome, 307
 - simulation, 308
- regulated continuous but observed binary report precision, 316–319
 - instrument, 317
 - latent utility, 317
 - McMC estimated average treatment effects, 318
 - McMC estimated average treatment effects from MTE, 319
- regulated continuous, nonnormal but observed binary report precision, 319–323
 - latent utility, 321
 - McMC estimated average treatment effects, 321
 - McMC estimated average treatment effects from MTE, 321
 - nonnormality, 319
 - policy-relevant treatment effect, 326
 - stronger instrument, 323
 - stronger instrument McMC average treatment effect estimates, 323
 - stronger instrument McMC average treatment effect estimates from MTE, 323
- regulated report precision, 311
 - latent utility, 311
 - outcome, 312
 - selection, 302
- Bernoulli distribution, 240
- best linear predictor theorem (regression justification II), 57
- beta distribution, 113
- BHHH estimator, 66, 70
- binomial distribution, 65, 94, 107, 113

- block matrix, 44
- block one factorization, 24
- BLU estimator, 21
- bootstrap, 108
 - paired, 109
 - panel data regression, 109
 - regression, 108
 - wild, 109
- BRMR, 89
- BRMR (binary response model regression), 88
- burn-in, 118, 120, 121

- CAN, 21, 102, 212
- CARA, 15
- causal effect, 1, 275, 277
 - definition, 125
 - general equilibrium, 293
 - policy invariance, 293
 - uniformity, 293
- causal effects, 14, 22, 105, 123, 128
- CEF decomposition theorem, 55
- CEF prediction theorem, 55
- central limit theorem, 35
- certainty equivalent, 15
- certified value, 12
- chi-square distribution, 74
- chi-squared statistic, 38
- Cholesky decomposition, 21, 119
- classical statistics, 4, 17
- CLT, 41, 69, 70
- completeness, 3
- conditional expectation function (CEF), 55
- conditional likelihood ratio statistic, 135
- conditional mean independence, 158, 164, 167, 204
- conditional mean independence (redundancy), 213
- conditional mean redundancy, 213, 214, 238
- conditional moment tests, 101
- conditional posterior distribution, 95, 117–119
- conditional score statistic, 135
- conditional stochastic independence, 158, 165, 172
- conjugacy, 111
- conjugate prior, 111
- consistency, 42, 45, 70, 102, 155, 213
- consistent, 108
- contribution to gradient (CG) matrix, 67
- control function, 203
 - inverse Mills, 130
- convergence, 98
- convolution, 35
- cost of capital, 129
- counterfactual, 142, 173, 207, 215, 218, 275
- covariance for MLE, 66
- Cramer-Rao lower bound, 67
- critical smoothing, 93

- data, 1–3, 11, 123, 155
- delta method, 41
- density-weighted average derivative estimator
 - instrumental variable, 143
- DGP, 19, 21, 22, 38, 41–44, 68, 89, 91, 123, 147, 148, 155, 159, 167, 181, 207, 210
- diagnostic checks, 3
- differences-in-differences, 129
- Dirichlet distribution, 115, 146
- duration model, 143–145
 - Bayesian semiparametric, 144
 - proportional hazard, 144, 145
 - semiparametric proportional hazard, 144
- earnings inequality, 210
- earnings management, 10–12, 16, 48–54, 382–397, 401–412
- equilibrium reporting behavior, 382
- logistic distribution, 383
- performance evaluation, 401
 - accruals smoothing, 401
 - limited commitment, 401
 - selective manipulation, 393–397
 - closer look at the variance, 397

- noncentral scaled t distribution, 396
- scale uncertainty, 396
- scale uncertainty simulation, 397
- simulation, 394
- truncated expectations, 397
- stacked weighted projection, 384
- stochastic manipulation, 382–392
 - closer look at variance, 391
 - inverted chi-square distribution, 388
 - noncentral scaled t distribution, 388, 391
 - scale uncertainty, 385
 - scale uncertainty simulation, 392
 - simulation, 385
- Eicker-White estimator, 22
- empirical model building, 2
- empiricist, 1
- endogeneity, 1, 3, 9, 14, 123, 130, 148, 155
- endogenous causal effects, 9
- endogenous regressor, 43, 126
- entropy, 334
- equilibrium, 9, 11, 12, 15–17
- equilibrium earnings management, 10–12, 16, 48–54, 382–397, 401–412
 - analyst, 52
 - Bernoulli distribution, 50
 - data, 54
 - endogeneity, 48
 - equilibrium, 49
 - fair value accruals, 48
 - information advantage, 52
 - instrument, 48
 - model specification, 54
 - nonlinear price-accruals relation, 50
 - omitted variable, 51
 - private information, 48
 - propensity score, 48, 51, 53, 54
 - logit, 54
 - saturated design, 51
 - social scientist, 52
 - theory, 54
 - unobservable, 53, 54
- error cancellation, 35
- error components model, 26
- estimand, 123, 218
- evidentiary archive, 401
- exact tests, 108
- exchangeable, 107, 110, 146
- exclusion restriction, 207, 218, 221
- expected squared error loss, 71, 72
- expected utility, 13, 16, 77
- exponential distribution, 113, 145
- external validity, 276
- extreme value (logistic) distribution, 79
- F statistic, 21, 37, 38, 40
- fair value accruals, 10
- financial statement example
 - directed graph, 374
 - Gaussian distribution, 371
 - left nullspace, 372
 - linear independence, 371
 - nullspace, 374
 - posterior distribution, 375
 - spanning tree, 374
 - under-identification and Bayes, 370
- financial statement inference, 17, 370–375, 401
 - bounding, 401
- fineness, 3
- first order considerations, 3
- fixed effects, 127
 - lagged dependent variable, 129
- fixed effects model, 26–30
 - between-groups (BG) estimator, 27
 - FWL, 26
 - projection matrix, 27
 - individual effects, 26
 - OLS, 26
 - time effects, 26
 - within-groups (WG) estimator, 27
- fixed vs. random effects, 26–30
 - consistency & efficiency considerations, 26
 - equivalence of GLS and fixed effects, 30

- equivalence of GLS and OLS, 30
 - Hausman test, 26
- flexible fit, 97
- football game puzzle
 - marginalization paradox, 370
 - probability as logic, 369
 - proposition, 370
- Frisch-Waugh-Lovell (FWL), 22, 36, 38, 39, 99, 126, 128
- fundamental principle of probabilistic inference, 4
- fundamental theorem of statistics, 108

- gains to trade, 14
- gamma distribution, 113
- Gauss-Markov theorem, 19
- Gauss-Newton regression (GNR), 62–65
- Gaussian distribution, 33, 55, *see* normal distribution
- Gaussian function, 35
 - convergence, 35
 - convolution, 35
 - Fourier transform, 35
 - maximum entropy given variance, 35
 - preservation, 35
 - product, 35
- GCV (generalized cross-validation), 104
- general equilibrium, 276
- generalized least squares (GLS), 21
- Gibbs sampler, 95, 118
- global concavity, 66
- GLS, 110
- GNR, 88
- gradient, 40, 63, 67
- Gumbel distribution, 80, 83

- Halton draw
 - random, 121
- Halton sequences, 120
- Hammersley-Clifford theorem, 117
- Hausman test, 43
- hazard function
 - conditional, 145
 - integrated, 144
 - unconditional, 144
- Heckman's two-stage procedure, 214
 - standard errors, 214
- Hessian, 62, 63, 66, 67, 70
 - positive definite, 63
- heterogeneity, 129, 144, 146, 162, 210
- heterogeneous outcome, 14
- heteroskedastic-consistent covariance estimator, 65
- homogeneity, 146, 159, 210, 211
- homogeneous outcome, 14

- identification, 78, 79, 83, 87, 107, 142, 158, 207, 210, 211, 238
 - Bayes, 165
 - Bayes' sum and product rules, 219
 - control functions, 213
 - LATE
 - binary instrument, 218
 - nonparametric, 164
 - propensity score, 169
 - propensity score and linearity, 172
 - ignorable treatment (selection on observables), 148, 149, 157–204, 207
 - independence of irrelevant alternatives (IIA), 78, 80–83, 92
 - index sufficiency, 172
 - inferring transactions from financial statements, 17, 370–375
 - information matrix, 67, 68
 - asymptotic or limiting, 67
 - average, 67
 - informational complementarities, 3
 - informed priors, 333–401
 - instrument, 41, 42, 142, 143, 164, 211
 - binary, 218
 - instrumental variable (IV), 41, 43, 95, 100, 105, 126
 - 2SLS-IV, 126, 211
 - exclusion restriction, 277
 - linear
 - exclusion restrictions, 211
 - local (LIV), 276

- over-identifying tests of restrictions, 211
- internal validity, 276
- interval estimation, 36
 - normal (Gaussian) distribution, 36
- intervention, 130
- inverse Mills, 142
- inverse-gamma distribution, 116
- inverse-Wishart distribution, 116
- iterated expectations, 172, 216

- James-Stein shrinkage estimator, 70–75
- Jaynes' Ap distribution, 398
 - Bayes' theorem, 399
 - football game puzzle revisited, 400
- Jaynes' widget problem, 355–369
 - stage 1 knowledge, 356
 - expected loss, 357
 - stage 2 knowledge, 358
 - stage 3 knowledge, 361
 - exact distributions, 366
 - Gaussian approximation, 363
 - rapidly converging sum, 365
 - z transform, 366
 - stage 4 knowledge, 369
- joint density, 6

- kernel, 111
- kernel density, 92, 98, 102, 146
 - Gaussian, 100
 - leave one out, 98

- Lagrange Multiplier (LM) statistic, 40
- Lagrange multiplier (LM) statistic, 38
- Lagrange multiplier (LM) test, 43
- latent IV, 147
- latent utility, 77, 79, 83, 86–88, 95
- latent variable, 119
- law of iterated expectations, 55
- LEN model, 15
- likelihood, 65
- likelihood function, 111
- likelihood ratio (LR) statistic, 38, 40
- likelihood ratio (LR) test, 87
- limited information estimation, 131
- Lindberg-Feller CLT, 40

- linear CEF theorem (regression justification I), 56
- linear conditional expectation function
 - Mathiowetz, 54
- linear loss, 61
- linear probability model, 78
- link function, 77
- LIV
 - estimation, 286
 - common support, 288
 - nonparametric FWL (double residual regression), 287
 - nonparametric kernel regression, 287
 - propensity score, 287
- LLN, 63, 69, 70
- log-likelihood, 34, 40, 62, 65, 67, 70, 83, 86, 87, 94, 131–134, 146
- logistic distribution, 66, 79
- logit, 66–84
 - binary, 79
 - conditional, 80, 82, 84
 - generalized extreme value (GEV), 81
 - generalized nested (GNL), 82, 84
 - multinomial, 82
 - multinomial, 80
 - nested, 82, 84
 - nested (NL), 82
 - nests, 81
- lognormal distribution, 145

- marginal density, 6
- marginal posterior distribution, 117
- marginal probability effect, 78, 86, 87, 138, 140
- marginal treatment effect (MTE), 275–300
 - discrete outcome
 - identification, 288
 - FORTTRAN program, 300
 - heterogeneity, 288
 - identification, 278
 - Bayes' theorem, 279

- policy-relevant treatment effect, 279
 - local instrumental variable (LIV), 279
 - support, 280
 - uniform distribution, 279
- market portfolio, 2
- maximum entropy, 334–354
 - background knowledge, 337
 - Cholesky decomposition, 348
 - continuous distributions
 - exponential, 349
 - Gaussian, 347
 - multivariate Gaussian, 348
 - truncated exponential, 349
 - truncated Gaussian, 350
 - uniform, 346
 - continuous support, 342
 - discrete choice logistic regression (logit), 340
 - generalization, 337
 - ignorance, 334, 336
 - Lagrangian, 337
 - partition function, 338
 - probability as logic, 355
 - probability assignment, 334
 - transformation groups, 344
 - invariance, 344
 - Jeffrey’s prior, 345
 - location and scale knowledge, 344
 - variance bound, 351
 - Cramer-Rao, 351
 - Schwartz inequality, 353
- maximum entropy principle (MEP), 4, 8, 17
- maximum entropy priors, 333
- maximum likelihood estimation (MLE), 33, 65, 68, 69, 89, 214
- McMC (Markov chain Monte Carlo), 95, 117–120
 - tuning, 120
- mean conditional independence, 43
- measurement error, 41
- Metropolis-Hastings (MH) algorithm, 118–120
 - random walk, 119
 - tuning, 120
- minimum expected loss, 59
- minimum mean square error (MMSE), 55
- missing data, 97
- mixed logit
 - robust choice model, 92
- model specification, 1, 54, 86, 89, 123, 155
- MSE (mean squared error), 103, 104
- multinomial distribution, 115
- Nash equilibrium, *see* equilibrium
- natural experiment, 129
- negative-binomial distribution, 113
- Newey-West estimator, 22
- Newton’s method, 62
- non-averaging statistics, 76
- noncentrality parameter, 71
- nonlinear least squares, 66
- nonlinear regression, 62, 88
- nonlinear restrictions, 41
- nonnormal distribution, 147
- nonparametric, 146
- nonparametric discrete choice regression
 - robust choice model, 93
- nonparametric kernel matching, 182
- nonparametric model, 143
- nonparametric regression, 97–105
 - fuzzy discontinuity design, 198
 - leave one out, 104
 - locally linear, 103
 - objectives, 97
 - specification test, 101
- normal distribution, 86, 92, 94, 116, 132, 138, 139
 - bivariate, 130
- nR-squared test, 40, 43
- observationally equivalent, 208
- OLS, 20–23, 41–43, 45, 64, 101, 110, 124, 133, 150
- exogenous dummy variable regression, 158, 166

- omitted variable, 3, 41, 43, 123, 128, 149, 203, 207, 211
- omitted variables, 99
- OPG estimator, 70
- ordinal, 78
- ordinary least squares (OLS), 19
- orthogonal matrix, 75
- orthogonality, 19, 41
- outcome, 14, 16, 147, 157, 207, 208, 211, 219
 - objective, 275
 - subjective, 275
- outerproduct of gradient (OPG), 66
- over-identifying restriction, 43

- panel data, 26, 129
 - regression, 26
- partition, 173
- partitioned matrix, 126
- perfect classifier, 79
- perfect regressor, 159
- performance evaluation
 - excessive individual measures, 401
- pivotal statistic, 108
 - asymptotically, 111
- pivots, 21
- Poisson distribution, 73
- poisson distribution, 113
- policy evaluation, 155, 205, 275
- policy invariance, 276
 - utility, 276
- positive definite matrix, 72
- posterior distribution, 111
- posterior mean, 59
- posterior mode, 59, 62
- posterior quantile, 59, 61
- prior distribution, 111
- private information, 2, 3, 15, 175
- probability as logic, 3, 4, 8, 333-401
- probability assignment, 5, 6
- probability limit (plim), 126
- probit, 66, 86, 118, 142
 - Bayesian, 95
 - bivariate, 130
 - conditionally-heteroskedastic, 86, 90
 - simultaneous, 131
 - 2SCML (two-stage conditional maximum likelihood), 133
 - G2SP (generalized two-stage simultaneous probit), 133
 - IVP (instrumental variable probit), 132
 - LIML (limited information maximum likelihood), 132
- projection, 36, 38, 64, 98
- proxy variables, 43, 44
- public information, 2, 15

- quadratic loss, 60

- R program
 - Matching library, 182
- R project
 - bayesm package, 119
- random coefficients, 31-33
 - correlated
 - average treatment effect, 33
 - panel data regression, 33
 - stochastic regressors identification, 32
 - nonstochastic regressors identification, 31
- random effects model, 26-30
 - consistency, 30
 - GLS, 28
- random utility model (RUM), 78, 92, 150
- Rao-Blackwell theorem, 21
- recursive, 135
- recursive least squares, 117
- reduced form, 124
- regression CEF theorem (regression justification III), 57
- regression justification, 55
- regulated report precision, 14-17, 239-272, 293-299, 311-329
 - adjusted outcome, 244
 - binary treatment, 239
 - causal effect, 239
 - continuous treatment

- balanced panel data, 267
- endogeneity, 239
- equilibrium selection, 244
- expected utility, 239
- heterogeneity, 244
 - average treatment effects, 249
 - common support, 245
 - continuous choice but observed binary, 253
 - DGP, 246
 - estimated average treatment effect, 246
 - estimated average treatment effect on treated, 246
 - estimated average treatment effect on untreated, 246
 - inverse Mills IV control function, 252, 257, 261
 - OLS estimate, 246
 - OLS estimated average treatment effects, 254
 - ordinate IV control function, 250, 257, 260
 - poor instruments, 246
 - propensity score, 249, 254, 259
 - propensity score matching, 250, 256, 260
 - stronger instrument, 249, 259
 - treatment effect on treated, 245
 - treatment effect on untreated, 246
 - unobservable, 245
 - weak instruments, 248
- homogeneity, 244
- MTE, 293
- nonnormality, 293
 - inverse Mills IV control function, 296
 - MTE via LIV, 296
 - nonparametric selection, 298
 - OLS estimated average treatment effects, 294
 - ordinate IV control function, 294
 - stronger instrument and inverse Mills IV, 298
 - stronger instrument and LIV, 298
 - stronger instrument and ordinate IV control, 298
 - unobservable, 297
 - weak instruments, 297
- observed continuous treatment
 - equilibrium, 267
 - OLS estimated average treatment effect on treated, 268
 - outcome, 267
- observed continuous treatment, 266
 - 2SLS-IV estimated average treatment effect on treated, 269, 270, 272
- OLS estimand, 241
- OLS selection bias, 241
- outcome, 239
- perfect predictor of treatment, 243
- saturated regression, 244
- Simpson's paradox, 262
 - inverse Mills IV control function, 265
 - OLS estimated treatment effects, 263
 - ordinate IV control function, 263
- transaction design, 16
- treatment effect
 - sample statistics, 242
- treatment effect on treated, 240
- treatment effect on untreated, 241
- unobservable cost, 239
- representative utility, 77
- restricted least squares, 181
- ridge regression, 104
- risk preference, 14
- Roy model
 - DGP, 278
 - extended, 277, 278
 - generalized, 210, 277
 - gross benefit, 278
 - observable cost, 278
 - observable net benefit, 278
 - original (basic), 210, 277, 278
 - treatment cost, 278
 - unobservable net benefit, 278

- sample selection, 142, 148
- scale, 78, 87, 91, 98
- scientific reasoning, 4
- score vector, 67
- selection, 14, 41, 105, 147, 149, 157, 207, 208, 210
 - logit, 212, 213, 217
 - probit, 212–214, 217, 249
- selection bias, 205
- selective experimentation, 149
- semiparametric regression
 - density-weighted average derivative, 100
 - discrete regressor, 105
 - partial index, 101, 128, 143
 - partial linear regression, 99, 128
 - single index regression, 99
- semiparametric single index discrete choice models
 - robust choice model, 92
- Simpson's paradox, 148, 149
- simulation
 - Bayesian, 111
 - McMC (Markov chain Monte Carlo), 117
 - Monte Carlo, 108
- simultaneity, 41, 124
- simultaneity bias, 125
- singular value decomposition (SVD), 29
 - eigenvalues, 29
 - eigenvectors, 29
 - orthogonal matrix, 29
- Slutsky's theorem, 42, 416
- smooth accruals, 376–381, 401–412
 - accruals as a statistic, 376
 - tidiness, 379
- appendix, 401–412
 - BLU estimation, 402
 - Cramer-Rao lower bound, 402
 - difference equations, 403
 - Fibonacci series, 411
 - induction, 403
 - information matrix, 402
 - LDL' factorization, 402
 - LEN contract, 406
 - Lucas series, 412
 - proofs, 401
- DGP, 376
- LEN model, 376
- performance evaluation role, 379
- valuation role, 377
- social scientist, 2
- squared bias, 105
- statistical sufficiency, 3
- stochastic regressors, 20
- strategic choice model, 135–141
 - analyst error, 135
 - expected utility, 135
 - logistic distribution, 135
 - normal distribution, 135
 - private information, 135
 - quantal response equilibrium, 135
 - sequential game, 135
 - unique equilibrium, 135
- strategic interaction, 17
- strategic probit, 139
- strong ignorability, 172
- structural, 124, 275
- structural model, 237
- Student t distribution, 114
 - multivariate, 116
- sum of uniform random variables, 4
- SUR (seemingly unrelated regression), 26
- survivor function, 145
- t statistic, 21
- Taylor series, 62, 69
- tests of restrictions, 22, 38
- theory, 1, 11, 123, 155, 275
- three-legged strategy, 1, 3
- Tobit (censored regression), 94
- trace, 72
- trace plots, 118
- treatment, 14, 16, 276
 - continuous, 236
 - cost, 210
 - gross benefit, 210
 - latent utility, 210
 - observable cost, 210

- observable net benefit, 210
- uniformity, 233
- unobservable net benefit, 210
- treatment effect, 130, 147, 157, 207
 - ANOVA (nonparametric regression), 168
 - average, 147, 280
 - average (ATE), 147, 150, 158, 159, 165, 166, 169, 204, 208, 212, 216
 - average on treated, 280
 - average on treated (ATE), 158
 - average on treated (ATT), 147, 150, 169, 173, 204, 209, 212, 216
 - heterogeneity, 217
 - average on untreated, 280
 - average on untreated (ATUT), 148, 150, 158, 169, 173, 204, 209, 216
 - heterogeneity, 217
 - average on untreated (ATUT), 212
 - common support, 205, 214
 - compared with structural modeling, 155
 - comparison of identification strategies
 - control function, 284
 - linear IV, 284
 - LIV (local IV), 284
 - matching, 284
 - conditional average (ATE(X)), 166, 167, 216
 - conditional average on treated (ATT(X)), 215
 - conditional average on untreated (ATUT(X)), 216
 - continuous, 289, 291
 - 2SLS-IV, 238
 - DGP, 301
 - distributions, 291
 - factor model, 291
 - dynamic timing, 292
 - duration model, 292
 - outcome, 292
 - policy invariance, 292
 - endogenous dummy variable IV model, 211
 - heterogeneity, 212
 - heterogeneous outcome, 277
 - identification
 - control functions, 286
 - linear IV, 286
 - local IV, 286
 - matching, 286
 - perfect classifier, 286
 - identification via IV, 148
 - inverse Mills IV control function
 - heterogeneity, 214
 - LATE
 - always treated, 222
 - complier, 221, 222
 - defier, 221
 - never treated, 222
 - LATE 2SLS-IV estimation, 221
 - LATE = ATT, 221
 - LATE = ATUT, 221
 - linear IV weight, 283
 - LIV identification
 - common propensity score support, 286
 - local average, 281
 - local average (LATE), 198, 209, 218
 - censored regression, 234
 - discrete marginal treatment effect, 218
 - local IV (LIV), 233
 - marginal (MTE), 209, 212, 233, 276
 - multilevel discrete, 289
 - ordered choice, 289
 - unordered choice, 290
 - OLS bias for ATE, 151
 - OLS bias for ATT, 150
 - OLS bias for ATUT, 151
 - OLS inconsistent, 211
 - OLS weight, 284
 - ordinate IV control function
 - heterogeneity, 213
 - outcome, 277
 - policy invariance, 282

- policy-relevant treatment effect versus policy effect, 282
- probit, 281
- propensity score, 169
 - estimands, 169
- propensity score IV, 212
- propensity score IV identification heterogeneity, 213
- propensity score matching, 172
- propensity score matching versus general matching, 173
- quantile, 234
- selection, 277
- Tuebingen example
 - case 8-1, 151
 - case 8-2, 151
 - case 8-3, 153
 - case 8-4 Simpson's paradox, 153
- Tuebingen example with regressors
 - case 9-1, 159
 - case 9-2, 160
 - case 9-3, 161
 - case 9-4 Simpson's paradox, 162
- Tuebingen IV example
 - case 10-1 ignorable treatment, 223
 - case 10-1b uniformity fails, 223
 - case 10-2 heterogeneous response, 225
 - case 10-2b LATE = ATT, 227
 - case 10-3 more heterogeneity, 228
 - case 10-3b LATE = ATUT, 228
 - case 10-4 Simpsons' paradox, 229
 - case 10-4b exclusion restriction violated, 230
 - case 10-5 lack of common support, 231
 - case 10-5b minimal common support, 232
- Tuebingen-style, 149
- uniformity, 221, 277, 282
- truncated normal distribution, 95, 119, 215
- uniform distribution, 83, 120, 138, 179
- union status, 129
- unobservable heterogeneity, 208, 218, 233
- unobservables, 14, 17, 78, 84, 86, 87, 89, 123, 129, 146
- variance, 105
- variance for MLE, *see* covariance for MLE
- Wald statistic, 38, 40, 41, 43
 - modified, 134
- Weibull distribution, 145
- weighted distribution, 280
- weighted least squares, 236
- winBUGs, 120
- U statistic, 100
- unbiasedness, 20